

L

INDEX MAPS.

T.7N R.7W 2nd Mer.

	82		82		82-83		81-83		81-83		81-83	
85	6	103	5	98	4	95	3	92	2	89	1	81
	103		103		98		95		92		88	
85	7	103	8	98	9	95	10	92	11	88	12	80
	102		102		97		94		91		88	
85	18	102	17	97	16	94	15	91	14	88	13	80
	101		101		97		94		91		87	
84	19	101	20	96	21	93	22	90	23	87	24	80
	100		100		96		93		90		87	
84	30	99	29	96	28	93	27	90	26	86	25	80
	99		99		96		93		89		86	
84	31	99	32	96	33	92	34	89	35	86	36	79
	77-78		77-78		77-78		77-78		77-79		77-79	

T.8N R.7W 2nd Mer.

	110		110		109-111		109-111		109-111		109-111	
113	6	131	5	126	4	123	3	120	2	116	1	109
	131		130		125		122		119		116	
113	7	130	8	125	9	122	10	119	11	116	12	108
	130		129		125		122		119		115	
113	18	129	17	125	16	122	15	118	14	115	13	108
	129		128		124		121		118		115	
112	19	128	20	124	21	121	22	118	23	115	24	108
	128		127		124		121		117		114	
112	30	127	29	123	28	120	27	117	26	114	25	108
	127		126		123		120		117		114	
112	31	126	32	123	33	120	34	116	35	114	36	108
	106		106		105-107		105-107		105-107		105-107	

The figures on the lines refer to the page.

105

Township No. 8. North of Range No. 7 West of the 2nd Mer. Indi

Ch. Lks.

South Boundary.

West Oak Ransom line On the South Boundary of Co. 36.
T. 8. N. R. 7 W.

40.00 Set a trap 7 1/4 to post on the West side of the Plains

80.00 Set a trap 7 1/4 post for the cor of sec. 35 & 36:

Go to Oak land.

West Oak Ransom line On the South Boundary of Co. 35.
T. 8. N. R. 7 W.

15.00 To a Brook. 10 miles wide, Corner S.E.

40.00 Set a trap 7 1/4 to post.

55.00 To a Brook. 3 miles wide, Corner S.

60.00 " " Co. 15 " " " S.E.

80.00 Set a trap 7 1/4 post for the cor of Co. 34 & 35.

Land barrens with a few Oak. & Hick. Trees scattered
over.

West Oak Ransom line On the South Boundary of Co. 34.
T. 8. N. R. 7 W.

40.00 Set a trap 7 1/4 to post.

55.00 To a Brook. 4 miles wide, Corner S.

60.00 " " Co. 10 " " " S.E.

80.00 Set a trap 7 1/4 to post for the cor of Co. 33 & 34

Continuation of barren land. interspersed with
Oak & Hick.

West Oak Ransom line On the South Boundary of Co. 33.

40.00 Set a trap 7 1/4 to post.

70.00 To a Brook. 4 miles wide, Corner S.

80.00 Set a trap 7 1/4 post for the cor of Co. 32 & 33.

Continuation of barren land. Interspersed with Oak
& Hick.

T. 8. N. R. 7. W. 2nd Mer. Sud?

West On a Random line On the South Boundary of sec. 30.
T. 8. N. R. 7. W.
40.00 Set a trap 1/4 mi. S. post
80.00 " " " post for the cor. of sec. 31 & 32
A continuation of barren land. Inter spersed with Oak
timber.

West On a Random line On the South Boundary of sec. 31.
T. 8. N. R. 7. W.
39.50 To a Rock 3 miles N. E. from S.
40.00 Set a trap 1/4 mi. S. post.
79.50 Fill 14 ch. South of Harris Township Cor. for T.
7 & 8. N. R. 7 & 8. W.
Good Oak land.

Corrected and marked the line East Return for T. 7 & 8.
N. R. 7. W.
East On the true line On the South Boundary of sec. 31.
T. 8. N. R. 7. W.
39.50 Set the trap 1/4 mi. S. post on the true line from which
a Rock 10 in. diam. bears N 44 E 46 links dist. 4
" 93 Oak 10 " " S 77 W 44 "
80.00 Set the trap 1/4 post on the true line for the cor. of sec. 31 & 32.
from which a 93 Oak 30 in. diam. bears N 70 W 53 the dist.
made a Rock 14 " " North 40 " "

East On the true line On the South Boundary of sec. 32.
T. 8. N. R. 7. W.
40.00 Set the trap 1/4 mi. S. post on the true line from which
a Rock 12 in. diam. bears N 77 E 12 links dist. 14
" Oak 18 " " S 69 W 55 "
80.00 Set the trap 1/4 post on the true line for the cor. of sec. 32 & 33
from which a Rock 10 in. diam. bears N 41 W 82 the dist.

T. N. 8. N. R. N. 7 W. 2nd Mer. Ind. 107

No other timber seen.

East	On the true line On the South Boundary of Sec 33. T. 8. N. R. 7 W.
40.00	Set the temporary post on the true line No timber
80.00	Set the temporary post at the true line for the cor of sec. 33 & 34 from which is N Oak. 30 in. diam. trees. S 43 W. 48 links and No other timber seen.
East	On the true line On the South Boundary of Sec 34. T. 8. N. R. 7 W.
40.00	Set the temporary post on the true line from which is N Oak 16 in. diam. trees. S 37 E. 45 links and; No other timber seen.
80.00	Set the temporary post on the true line for the cor of sec. 34 & 35 from which is N Oak. 30 in. diam. trees. N 6 E. 1. 40 & a, N Oak 8 " " " N 72 E. 44 links
East	On the true line On the South Boundary of Sec 35. T. 8. N. R. 7 W.
40.00	Set the temporary post on the true line from which is N Oak 16 in. diam. trees. N 78 W. 47 links and; N N Oak. 6 " " S 21 E. 64 " "
80.00	Set the temporary post on the true line for the cor of sec. 35 & 36 from which is N Oak. 18 in. diam. trees. N 70 W. 57 links and side w. N Oak. 16 " " " N 44 E. 47 " "
East	On the true line On the South Boundary of Sec 36. T. 8. N. R. 7 W.
40.00	Set the temporary post at the true line from which is N Oak 18 in. diam. trees. N 35 E. 37 links and;
80.00	To the cor of T. 7 & 8 N. R. 6 & 7 W.

T. 8. S. R. 1. 7 N. 2nd Mer. Ind.

East Boundary.

North On the East Boundary of sec. 36 T. 8. S. R. 1. 7 N.
 40.00 Set a 7/8 cu post No timber
 80.00 Set a post for the cor of sec. 25 & 36. T. 8. S. R. 1. 7 N. from
 which, N. Oak. 14 in. diam. trees. N 1 1/2 E. 1500 links dist.
 No other timber Sande plains

North On the East Boundary of sec. 25 T. 8. S. R. 1. 7 N.
 8.00 To a N. Oak. 5 links wide, corner E.
 40.00 Set a 7/8 cu post. No timber
 80.00 Set a post for the cor of sec. 24 & 25. T. 8. S. R. 1. 7 N.
 No timber.

North On the East Boundary of sec. 24 T. 8. S. R. 1. 7 N.
 40.00 Set a 7/8 cu post. No timber
 80.00 Set a post for the cor of sec. 13 & 24. in the N. end of the
 Plains from which
 N Oak. 24 in. diam. trees. S 62 E. 125 links dist; & a,
 Hick 16 " " " N 87 W. 77. "

North On the East Boundary of sec. 13 T. 8. S. R. 1. 7 N.
 30.00 Entered plains.
 40.00 Set a 7/8 cu post No timber
 80.00 Set a post for the cor of sec. 12 & 13 from which
 N Oak. 18 in. diam. trees. North 14.37 links dist;
 Oak land

North On the East Boundary of sec. 12 T. 8. S. R. 1. 7 N.
 14.37 To a N. Oak. 18 in. diam. It stands in the line.
 38.11 " " Hick 12 " " " " " "
 40.00 Set a 7/8 cu post from which
 Hick 12 in. diam. trees. South 139 links dist;
 80.00 Set a post for the cor of sec. 1 & 12 from which

D. No. 8. N.R. No. 7 W. 2nd (Mn. Sec. 109

Neely 12 in. diam. trees. N 37 W. 38 miles north: 8 a,
 93 Oak. 5 " " " 929 E. 40 " "
 Sande barrens.

West On the East Boundary of sec. 1. T. 8 N. R. 7 W.
 20.00 To a Brook. 10 miles north, Corner S.E.
 40.00 Set the 1/4 section in the plain (No timber
 80.00 Set a temporary post for the cor. of T. 8 N. R. 6 W.

North Boundary.
 West On a Random line On the South Boundary of sec. 36.
 T. 9 N. R. 7 W.
 40.00 Set a temporary 1/4 section post.
 60.00 To a Brook. 5 miles north, Corner S.E.
 80.00 Set a temporary post for the cor. of sec. 35 & 36
 Clean open prairie with not one stick of timber on it

West On a Random line On the South Boundary of sec. 35.
 T. 9 N. R. 7 W.
 40.00 Set a temporary 1/4 section post.
 60.00 To a Brook. 5 miles north, Corner S.E.
 80.00 Set a temporary post for the cor. of sec. 34 & 35
 Clean open prairie with not one stick of timber on it

West On a Random line On the South Boundary of sec. 34.
 T. 9 N. R. 7 W.
 20.00 Set the prairie
 40.00 Set the temporary 1/4 section post.
 80.00 Set a temporary post for the cor. of sec. 33 & 34
 Sande barrens

West On a Random line On the South Boundary of sec. 33.
 T. 9 N. R. 7 W.

T. N. 8. R. N. 7 W. 2nd Mer. Sec.

40.00	Set the trap 1 1/4 sa post
80.00	" " " post for the cor of sec. 32 & 33. Lumber barrens.
West	On a Meridian line On the South Corner of sec. 32. T. 9. R. 7 W.
14.00	To a Brook 3 miles wide, Corner S.
40.00	Set a trap 1 1/4 sa post
80.00	" " " post for the cor of sec. 31 & 32 Good good land. Timber Oak.
West	On a Meridian line On the South Corner of sec. 31. T. 9. R. 7 W.
5.00	To a Brook 3 miles wide, Corner S.
18.00	" " Sec. 6 " " " "
39.50	" " Sec. 3 " " " "
40.00	Set a trap 1 1/4 sa post.
10.00	Struck Harris's Tr. cor. for T. 8 & 9 R. 7 & 8 W.
East	Corrected and marked the true East. On the true line On the South Corner of sec. 31. T. 9. R. 7 W.
40.00	Set the trap 1 1/4 sa post on the true line from which is N. Oak. 24 in. diam. trunks. 114 ft. 17 inches high; 8 in. N. Oak. 14 in. " " " " " " " " " " " "
80.00	Set a post for the cor of sec. 31 & 32. From which is Height 12 in. diam. trunks. 156 ft. 37 inches high; 9 in. N. Oak. 24 in. " " " " " " " " " " " "
East	On the true line On the South Corner of sec. 32. T. 9. R. 7 W.
40.00	Set the trap 1 1/4 sa post on the true line from which is Height 10 in. diam. trunks. 145 ft. 3 inches high; 8 in.

80.00	<p>Heik 15 in diam. bears N 56 E. 11 links north; Set the temporary post on the true line from which of p. 32 & 33 W Oak. 36 in diam. bears N 23 E. 175 links north; & a No other timber near.</p>
East	<p>On the true line On the South Boundary of p. 33. T. 9. N.R. 7 W.</p>
40.00	<p>Set the temporary post on the true line from which a Heik 12 in diam. bears S 36 E. 9 links north; & a W Oak. 30 " " " " N 21 W. 15 " "</p>
80.00	<p>Set the temporary post on the true line for the cor. of p. 33 & 34. from which a Heik 16 in diam. bears S 88 E. 135 links north; No other timber</p>
East	<p>On the true line On the South Boundary of p. 34. T. 9. N.R. 7 W.</p>
40.00	<p>Set the temporary post on the true line from which a W Oak. 24 in diam. bears S 89 W. 97 links north; No other timber near.</p>
80.00	<p>Set the temporary post on the true line for the cor. of p. 34 & 35. in the prairie from which a W Oak. 24 in diam. bears S 45 E. 148 links north;</p>
East	<p>On the true line On the South Boundary of p. 35. T. 9. N.R. 7 W.</p>
40.00	<p>Set the temporary post in the prairie</p>
80.00	<p>Set the temporary post on the true line for the cor. of p. 35 & 36 in the prairie</p>
East	<p>On the true line On the South Boundary of p. 36. T. 9. N.R. 7 W.</p>
40.00	<p>Set the temporary post on the true line in a prairie</p>
80.00	<p>Set the cor. of T. 8 & 9. N.R. 6 & 7 W. A Holmes. H.S.</p>

T. N. 8. N.R. N. 7 W. 2nd Mer. Ind.

West Boundary.

Var. 640 m.

- North On the East Boundary of Sec. 36. T. 8. N.R. 8 W.
 40.00 Set a 7/8 sap post from which a
 Hewer 8 in. diam. beam. N 25 W. 33 links north; & a
 43 Oak. 30. " " " N 61 W. 67. " "
 68.50 Track Brook. 10 links wide, corner W.
 80.00 Set a post for the corner of sec. 25 & 36 from which a
 W Oak. 14 in. diam. beam. N 73 E. 9 links north; & a
 Ho. 14 " " " S 62 W. 16 " "
 Land according to timber Oak, & Hewer. Good farming
 land.

- North On the East Boundary of Sec. 25. T. 8. N.R. 8 W.
 40.00 Set a 7/8 sap post. from which a
 W Oak. 9 in. diam. beam. S 18 W. 8 links north; & a
 Hewer 8 " " " N 27 W. 5 " "
 80.00 Set a post for the corner of sec. 24 & 25 from which a
 W Oak. 8 in. diam. beam. S 11 W. 18 links north; & a
 Ho. 6 " " " N 79 E. 15 " "
 Land a little rolling thinly timbered with small Oak & Hewer
 Soil Sand.

- North On the East Boundary of Sec. 24. T. 8. N.R. 8 W.
 13.00 Track Brook. 6 links wide, corner N.
 40.00 Set a 7/8 sap post from which a
 Hewer 9 in. diam. beam. S 82 E. 25 links north; & a
 W Oak. 15 " " " N 41 W. 156 " "
 80.00 Set a post for the corner of sec. 13 & 24 from which a
 W Oak. 13 in. diam. beam. N 72 E. 38 links north; & a
 Ho. 11 " " " S 70 W. 40 " "
 Land level; thinly timbered with Oak & Hewer
 Soil Sand; mighting good wheat land.

North On the East Boundary of T. 13 N. 8 W.
 40.00 Set a 1/4 section from which
 Hick 8 in. diam. trees. — 19 E. 96 links each; & a,
 W Oak. 9 " " " N 43 E. 178 " "
 54.00 To a Brook. 10 links in N. corner N.
 80.00 Set a post for the cor of T. 12 N. 8 W. from which
 — 8 in. diam. trees. S 58 W. 9 links each; & a,
 Hick 12 " " " N 51 E. 31 " "
 Sand & gravel timber Oak & Hick Good wheat land

North On the East Boundary of T. 12 N. 8 W.
 16.00 To a Brook. 15 links in N. corner S W.
 40.00 Set a 1/4 section from which
 Hick 10 in. diam. trees. S 73 E. 10 links each; & a,
 Ly. 5 " " " N 49 W. 13 " "
 80.00 Set a post for the cor of T. 11 N. 8 W. from which
 W Oak. 10 in. diam. trees. S 51 E. 27 links each; & a,
 Hick 9 " " " N 87 W. 11 " "
 Sand & gravel timber Oak & Hick Good for wheat.

North On the East Boundary of T. 1 N. 8 W.
 36.50 To a Brook. 6 links in N. corner W.
 40.00 Set a 1/4 section from which
 W Oak. 12 in. diam. trees. S 41 E. 22 links each; & a,
 101. 14 " " " S 59 W. 30 " "
 62.00 To a Brook. 10 links in N. corner S W.
 80.00 Set a post for the cor of T. 8 N. 8 W. from
 which Hick 12 in. diam. trees. S 49 W. 5 links each.
 under W Oak. 12 " " " N 62 E. 60 " "
 Sand & gravel timber Same as last work.
 Surveyed by W. Harris Esq.

T. N. 8. N. R. N. 7 W. 2nd Mer. Sud?

Subdivisions

North Return Sec 35 & 36 T. 8 N. R. 7 W.
 3.25 To B Oak 24 in dia. in the line.
 40.00 Got a 7/8 report from which
 Height 12 in dia. line. 30 N. 99 lower arch.
 80.00 Got report for the cor of Sec. 25, 26, 35 & 36 from which
 W Oak 12 in dia. line. N 57 N. 216. high arch;
 Sand very broken and rolling; very finely timbered

East Cap. Random line between Sec. 25 & 36 T. 8 N. R. 7 W.
 40.00 Got a tramp 7/8 report
 60.00 To Prairie
 79.85. Intersect the East Boundary 20 miles South of the post.
 cor of Sec. 25 & 36.
 Same the same.

West On the line between Sec. 25 & 36 T. 8 N. R. 7 W.
 39.92 1/2 Got the tramp 7/8 report at the arch in the line
 from which Height 12 in dia. line. 30 N. 23 high arch
 and of B Oak 24 " " " B 86. 120 " "
 79.85 To the post cor of Sec. 25 & 26, 35 & 36.

North Return Sec. 25 & 36 T. 8 N. R. 7 W.
 40.00 Got a 7/8 report of no timber high.
 80.00 Got report for the cor of Sec. 23, 24, 25 & 26 from which
 W Oak 10 in dia. line. N 3 E. 5. 28 high arch;
 Same the same. This part it stands in the NW Edge of
 Prairie

East Cap. Random line between Sec. 24 & 25 T. 8 N. R. 7 W.
 40.00 Got a tramp 7/8 report.
 50.00 To B Oak 18 high arch, line N E.
 79.88 Intersect the N 3 line 35 miles South of the post cor.

T. N. 8 A. M. N. 7 W. Q. ad. M. S. 115

24 & 25. T. 8 A. M. 7 W.

Land road same timber at the Brook.

West On the same line between Sec. 24 & 25. T. 8 A. M. 7 W.
39.94 Set the trip 74 support at the ar. with on the same line.
No timber high Land has sprain.
79.88 To the post cor. of sec. 23 24 25 & 26.

North Return Sec 24 & 23 T. 8 A. M. 7 W.
5.30 To a Brook 18 miles north, across S.E.
40.00 Set a trip support no timber high
70.00 Same timber
80.00 Set apart for the cor. of sec. 13 14 23 & 24 from which.
W. Oak. 10 mi. dist. from North 25 miles north: & a
20.8 " " " " 269 N. 41. " "
I made the same: not quite so bushy as on the
last north side.

East On a Random line between Sec. 13 & 24 T. 8 A. M. 7 W.
40.00 Set a trip 74 support
80.00 Intersect the N.S. line 48 miles South of the post.
cor. of sec. 13 & 24. The above N.S. line is the East R. 20.7
Same the same no timber

West On the same line between Sec. 13 & 24 T. 8 A. M. 7 W.
40.00 Set the trip 27 support at the ar. with on the same line.
80.00 To the post cor. of sec. 13 14 23 & 24

North Return Sec 13 & 14 T. 8 A. M. 7 W.
45.00 Set the 74 support in the South edge of sprain
80.00 Set apart for the cor. of sec. 11 12 13 & 14 in the sprain

East On a Random line between Sec. 12 & 13 T. 8 A. M. 7 W.

T. N. & N.R. N. of N. D. M. S. Ind.

40.00	Get the temp. 7 th in ear post
46.00	To timber 20 ch. mds.
79.84	Intersect the East Boundary 80 links South of the post cor of ear 12 & 13. Sound hole.
West	On the line between ear 12 & 13. T. S. N.R. 7 th
39.92	Get the temp. 7 th in ear post at the ar. dish on the line from which a thick 12 in. dia. line N 88 E. 6. 15 the dish
79.84	To the post cor of ear 11, 12, 13, & 14
North	Return ear 11. & 12 T. S. N.R. 7 th
40.00	Get a p. ear post.
80.00	Get a post for the cor of ear 12. 11. & 12 from which a thick 12 in. dia. line North 7.77 links dish
East	On a Random line between ear 1. & 12 T. S. N.R. 7 th
40.00	Get the temp. 7 th in ear post.
79.88	Intersect the N 75 line 8.9 links South of the post cor. of ear 1 & 12. The above line is the East Boundary
West	On the line between ear 1. & 12 T. S. N.R. 7 th
39.94	Get the temp. 7 th in ear post at the ar. dish on the line in the prairie
79.88	To the post cor of ear 12. 11. & 12.
North	Return ear 1. & 12. T. S. N.R. 7 th
7.77	Some timber and burned
40.00	Get a p. ear post
50.00	In prairie
81.40	Intersect the N Boundary at the post cor of ear 35 & 36. T. S. N.R. 7 th . July 27. 1874.
North	Return ear 34 & 35. T. S. N.R. 7 th

T. N. 8. N. R. No 7 N. 2nd Mer. Ind.

West Return Jul. 22 & 23. T. 8. N. R. 7 N. On the line
 40.00 Set the temporary 1/4 support at the ar. crib on the line
 10 timber high.
 80.00 To the post cor. of row 22, 23, 26 & 27.

North Return Jul. 22 & 23. T. 8. N. R. 7 N.
 31.50 To the Brook. 10 links min, corner E.
 40.00 Set a 1/4 support from which
 W Oak. 20 in. diam. trees. N 67 W. 36 links min; S 2
 N 15 " " " N 42 W 34 " "
 69.00 To the Brook. 12 links min, corner S. E.
 80.00 Set a post for the cor. of row 14, 15, 22 & 23. from which
 W Oak. 20 in. diam. trees. N 20 W. 35 links min;
 W Oak. 20 " " " N 53 E. 30 " "
 Same the same.

East On a Roman line between Jul. 14 & 23 T. 8. N. R. 7 N.
 10.00 To the Brook. 5 links min, corner S. E.
 40.00 Set a temporary 1/4 support
 80.10 Set a post on the N 53 line 12 links South of the post cor. of
 row 13, 14, 23 & 24.
 Same the same

West On the line between Jul. 14 & 23 T. 8. N. R. 7 N.
 40.55 Set the temporary 1/4 support at the ar. crib on the line
 from which a N 10 in. diam. trees. S 67 W. 139 links
 80.10 To the post cor. of row 14, 15, 22 & 23.

North Return Jul. 14 & 15 T. 8. N. R. 7 N.
 40.00 Set a 1/4 support from which a
 W Oak. 15 in. diam. trees. S 31 E. 37 links min;
 80.00 Set a post for the cor. of row 10, 11, 14 & 15 from which
 W Oak. 20 in. diam. trees. S 85 E. 130 links min;

Send the same as last mch.

East On a Random line between Sec 11. & 14 T. 8. N. 7 W.
40.00 Get the temp. 1/4 of post.
73.00 To prairie
8004 Intercept the N. & S line 12 links South of the post.
crossed 11. 12. 13 & 14
This line over barreny soil.

West On the true line between Sec 11. & 14 T. 8. N. 7 W.
40.00 Get the temp. 1/4 of post at the ar. dist. with the line
in barren
8004 To the post cross of Sec. 10. 11 14 & 15.

North Return Sec 10 & 11. T. 8. N. 7 W.
40.00 Get a 1/4 of post from which
W. Oak. 8 in. dia. beam. E. 9 W. 36 links dist.
80.00 Get a post from the cross of Sec. 2, 3, 10 & 11 from which
W. Oak. 24 in. dia. beam. N. 39 E. 94 links dist.
Send the same.

East On a Random line Between Sec 2. & 11. T. 8. N. 7 W.
40.00 Get a temp. 1/4 of post.
64.00 To prairie
79.96 Intercept the N. & S line 8 links South of the post cross
of Sec 1. 2. 11. & 12.
Send the same barren & thin & timbered

West On the true line between Sec 2 & 11. T. 8. N. 7 W.
39.98 Get the temp. 1/4 of post at the ar. dist. with the true line
from which a W. Oak. 12 in. dia. beam. East. 95 the dist.
79.96 To the post cross of Sec. 2, 3, 10. 11.

T. N. 8. N. R. N. 7 W. 2nd Mer. Ind.

North Return Sur. 283 T. 8 N. R. 7 W.
 25.00 Log Brook. 18 miles mid., corner C.
 40.00 Set a post from cor of 14 to post from which a
 B. Oak. 12 in. diam. bears S 45° W. 47 miles mid.
 81.50 Enter cut the N. Boundary at the post cor of sub.
 34 & 35 T. 9 N. R. 7 W.
 Land set the same July 28. 1815.

North Return Sur. 33 & 34. T. 8 N. R. 7 W.
 8.00 Log Brook. 5 miles mid., corner S. E.
 40.00 Set a post from which a
 B. Oak. 26 in. diam. bears S 28° W. 46 miles mid.;
 80.00 Set a post from the cor of sub. 27. 28. 33 & 34 from which a
 Hick 7 5 in diam. bears N 15° W. — 1 mile mid.; & a
 B. Oak. 4 " " " S 8 E 16 " "
 Land very bushy and hilly very thick timber of
 mixed Oak.

East On a Meridian line between Sur. 27 & 34. T. 8 N. R. 7 W.
 40.00 Set a temp. 7th to a post
 65.00 Log Brook. 10 miles mid., corner S. E.
 80.00 Enter cut the N + S line 12 miles South of the post cor.
 Sur. 26. 27. 34 & 35.

West On the same line between Sur. 27 & 34. T. 8 N. R. 7 W.
 40.00 Set the temp. 7th to a post at the cor. mid. on the same line
 No timber high
 80.00 To the post cor of sub. 27. 28. 33 & 34

North Return Sur. 27 & 28. T. 8 N. R. 7 W.
 40.00 Set the 7th to a post from which a
 W. Oak. 18 in diam. bears N 84° E. 29 miles mid.; & a
 H. 15 " " " N 24 E 33 " "

80.00	Get a post for the cor of sw. 21. 22. 27. 28. from which Heikes 220 in. dist. from. S 97 W 70 links dist; & a 13. Oct. 24 " " " N 18 W 15 " " Lands the same. as last mile
East	On a random line between Sw. 22 & 27. T. 8. N. R. 7 W.
40.00	Get a trip. 1/4 a post.
80.10	Intersect the N. 73 line 10 links South of the post cor. of sw. 22, 23. 26. & 27. Lands the same.
West	On the true line between Sw. 22. & 27. T. 8. N. R. 7 W.
40.05	Get the trip. 1/4 a post at the ar. dist on the true line
80.10	To the post cor of sw. 21. 22. 27. & 28.
North	Between Sw. 21. & 22. T. 8. N. R. 7 W.
40.00	Get a 1/4 a post from which a Elev. 10 in. dist. from. S 23 E. 60 links dist; & a Heikes 8 " " " N 12 E. 53 " "
80.00	Get a post for the cor of sw. 15. 16. 21. & 22 from which Heikes 5 in. dist. from. N 20 E. 12 links dist; & a 13. Oct. 24 " " " N 80 E. 31 " " Lands the same.
East	On a random line between Sw. 15 & 22. T. 8. N. R. 7 W.
40.00	Get a trip. 1/4 a post.
70.00	To a water corner 10 links away from S. E.
80.10	Intersect the N. 73 line 18 links South of the post cor. of sw. 14. 15. 22 & 23. Lands the same.
80.	West
	On the true line between Sw. 15 & 22. T. 8. N. R. 7 W.
40.06	Get the trip. 1/4 a post at the ar. dist on the true line. from which, 11 Oct. 20 in. dist. from. S 45 E. 20 links dist;

T. N. 8. N. R. N. 7. 2nd Mer. Ind.?

andrew Do. 20 in dia: beam. N45 W. 23 links each
80.00 To the post cor of ed. 15. 16. 21. & 22.

North Return Feb 15 & 16. T. 8. N. R. 7. W.
16.50 To a Brook 10 links in dia. beam S. E.
40.00 Get a 1/4 suppost from which,
N. 48 E. 38 links each; & a
Do. 7 " " " N42 W. 25 " "
80.00 Get a post for the cor of ed. 9. 10. 15 & 16. From which,
N. 13 in dia: beam. N59 W. 40 links each; & a
Do. 13 " " " N27 E 52 " "
Lands the same as last note.

East On a Random line between Feb. 10 & 15 T. 8. N. R. 7. W.
40.00 Get a temp. 1/4 suppost.
80.00 Intersect the N. 73 line 8 links South of the post cor.
of ed. 10. 11. 14. & 15.
Lands the same as last note.

West On the same line between Feb. 10 & 15 T. 8. N. R. 7. W.
40.00 Get the temp. 1/4 suppost at the an. end from which,
N. 107 E. 8 in. dia: beam. S30 W. 16 links each; & a
Do. 15 " " " N33 W. 6 " "
80.00 To the post cor of ed. 9. 10. 15 & 16.

North Return Feb. 9 & 10 T. 8. N. R. 7. W.
40.00 Get the 1/4 suppost from which,
N. 44 E. 10 in. dia: beam. N33 E. 71 links each; & a
Do. 5 " " " S35 W. 26 " "
56.50 To a Brook 10 links in dia. beam S. E.
60.50 " Do. 10 " " S. E.
80.00 Get a post for the cor of ed. 3. 4. 9 & 10 from which,
N. 44 E. 18 in. dia: beam. S44 E. 44 links each; & a

T. No. 8. N.R. N. 7th 2nd (Mun. Ind.)

Heik 10 in. diam. trees 397 m. 35 m. to mts;

East	On a Random line between Lat. 3410. T. 8. N.R. 7 th .
35.00	To a Brook. 12 m. to mts, Course N.E.
40.00	Set a temporary post
80.20	Intersect the N.R. line 8 miles South of the post cor. of lat. 2, 3, 10 & 11. Lands for sale timber same.
West	On the true line between Lat. 3410 T. 8. N.R. 7 th . This line was not corrected.
North	Between Lat. 344. T. 8. N.R. 7 th .
40.00	Set a post for timber high.
80.00	Intersect the N.R. boundary at the post cor. of lat. 33 & 34. T. 9. N.R. 7 th . Lands very bushy; March, 1814.
North	Between Lat. 32 & 33. T. 8. N.R. 7 th .
40.00	Set a post in a thicket of brush. No timber high.
80.00	Set a post for the cor. of lat. 28, 29, 32, & 33. From which Oak 24 in. diam. trees. 369 E. 92 m. to mts; Lands very bushy and thin timbered
East	On a Random line between Lat. 28 & 33. T. 8. N.R. 7 th .
40.00	Set a temporary post
80.00	Intersect the N.R. line 8 miles South of the post cor. of lat. 27, 28, 33 & 34. Lands same as last one. This line appears without correction.
North	Between Lat. 28 & 29. T. 8. N.R. 7 th .

T. N. 8. N. R. N. 7. 2nd (Mr. Sud?)

40.00 Set a $\frac{1}{4}$ supost from which
 W Oak 18 in. diam. beam N 50 W 16 links each; V₂
 Do 18 " " " N 34 W 55 " "
 80.00 Set a post for the cor of sw. 20. 21. 28 & 29. from which,
 W Oak 12 in. diam. beam. S 79 W 57 links each; V₂
 B Oak 24 " " " N 8 W 65 " "
 Same the same

East On a Kuman line between Sep 21. & 28. T. 8. N. R. 7 W.
 40.00 Set a tripit $\frac{1}{4}$ supost
 80.10 Set out the N & S line at the post cor of sw. 21. 22. 27.
 & 28. Same nothing under very brushy March 2nd 1814.
 This line appears without correction

North Between Sep 20 & 21. T. 8. N. R. 7 W.
 5.00 To a Brook 12 links wide, across W.
 40.00 Set a $\frac{1}{4}$ supost from which
 W Oak 20 in. diam. beam. S 28 W 77 links each;
 80.00 Set a post for the cor of sw. 16. 17. 20. & 21 from which,
 Hickory 12 in. diam. beam. S 65 W 84 links each; V₂
 W Oak 12 " " " N 25 W 110 " "
 Same the same.

East On a Kuman line between Sep 16 & 21. T. 8. N. R. 7 W.
 40.00 Set a tripit $\frac{1}{4}$ supost.
 80.00 Set out the N & S line at the post cor of sw. 15. 16. 21. & 22.
 Same the same.

West On the W. line between Sep 16 & 21. T. 8. N. R. 7 W.
 40.00 Set the tripit $\frac{1}{4}$ supost. at the ar. dish from which,
 B Oak 24 in. diam. beam. S 27 W 18 links each;
 80.00 To the post cor of sw. 16. 17. 20 & 21.

T. N. 8. N.R. N. 7 W. 2nd (Mn. Ind.?)

North	Return Sat. 16. & 17. 18 N.R. 7 W.
40.00	Get a 1/4 section from which Heik 10 in. dist. trees. \$50 W. 40. trees cash; & 2 No. 8 " " " \$36.35 " "
80.00	Get a part for the crop of Sat. 8. 9. 16. & 17 from which W Oak. 10 in. dist. trees \$25 W. 30 trees cash; & 2 No. 20 " " " \$66 W. 35 " "
	Land sold Timber Oak & Heik.
East	On a Random line between Sat. 9. & 16. 18 N.R. 7 W.
25.00	To a Prairie
40.00	Get a timber 1/4 section.
80.18.	Enter cut the NRS line at the post cor of Sat. 9. 10. 15 & 16 Land sold timber & 2.
West	On the true line between Sat. 9 & 16. 18 N.R. 7 W.
40.00	Get the timber 1/4 section
80.18	To the post cor of Sat. 8. 9. 16. & 17.
North	Return Sat. 8 & 9 18 N.R. 7 W.
33.00	To a Brook. 10 miles north, leave N.
40.00	Get a 1/4 section from which Heik 10 in. dist. trees. \$54 E. 7 trees cash; & 2 W Oak. 12 " " " \$14 W. 17 " "
80.00	Get a part for the crop of Sat. 4. 5. 8 & 9 from which W Oak. 6 in. dist. trees. \$18 W. 50 trees cash; & 2 No. 6 " " " \$40 W. 51 " "
	Land sold and timber same.
East	On a Random line between Sat. 4. & 9. 18 N.R. 7 W.
40.00	Get a timber 1/4 section.
67.00	To a Brook. 12 miles north, leave S.
80.00	Enter cut the NRS line 8 miles South of the post cor of

T. N. 8. N.R. N. 7 W. 2nd Mer. Ind.

Sub. 34. 9410
 Same as the same.

West On the new line between Sub. 4 & 9. T. 8. N.R. 7 W.
 40.00 Set the trumpet post at the ar. ditch on the new line from
 which Heik's 10 in. dia. beam. N 77 E. 12 lks. ditch;
 & a No. 10 " " N 67 W. 17 " "
 80.00 To the post on off Sub. 4, 5, 8 & 9.

North Return Sub. 4 & 5 T. 8. N.R. 7 W.
 40.00 Set a 7/8" sap post from which
 Heik's 10 in. dia. beam. North 31 lks. ditch; & a
 No. 12 " " N 80 E 30 " "
 82.50 Enter sub the N Boundary 231 lks. West of the post cor.
 of Sub. 32 & 33. T. 9. N.R. 7 W. and set apart for the cor.
 " 4 & 5. from which a
 W Oak 20 in. dia. beam. S. E. 130 lks. ditch;
 Same as the same. March 3rd 1814

North Return Sub. 31 & 32. T. 8. N.R. 7 W.
 40.00 Set a 7/8" sap post from which
 Heik's 12 in. dia. beam. N 1 E. 22 lks. ditch; & a
 W Oak 24 " " " N 67 W. 35 " "
 62.00 To a Brook 10 lks. only, hence S W.
 66.50 " " No. 10 " " " " " "
 80.00 Set apart for the cor. of Sub. 31 & 32 29 & 30 from which
 Cherry 10 in. dia. beam. S 35 E. 23 lks. ditch; & a
 No. 10 " " " N 57 W. 58 " "
 Under rolling Timber Oak & Hickory

East On a new line between Sub. 29 & 32. T. 8. N.R. 7 W.
 10.00 To a Brook 10 lks. only, hence S W.
 40.00 Set a trumpet 7/8" sap post.

80.00 Intersect the N 8 E line at the post cor of lat 28. 29. 30 & 31.
Sunder the same.

West Cut the true line between Lat. 29. 30 T. 8. N. R. 7 W.

40.00 Set the trumpet 7 1/4 support at the ar. creek on the true line
from which Height 10 in. dia. beam. 88 7/50 links each
under a 10 " " " 54 7/40 " "

80.00 To the post cor of lat. 29. 30. 31 & 32.

West Return Lat. 30 & 31. T. 8. N. R. 7 W.

22.00 To spring branch. Corner S. W.

40.00 Set a 7/4 support from which a

W Oak. 20 in. dia. beam. N 76 E. 29 links each; & a,
10. 20 " " " S 5 E. 25 " "

47.50 To spring branch. 5 links m. x., Corner S. W.

80.05 Intersect the West Boundary 69 links south of the post
cor of lat. 25 & 36. T. 8. N. R. 8 W. and set a post for the
" " " 30. 31. from which a

W Oak. 18 in. dia. beam. S 60 E. 30 links each; & a,
10. 20 " " " N 44 E. 69 " "

Sunder rolling; Timber Oak & Hickory March. 5. 1814

North Return Lat 29 & 30 T. 8. N. R. 7 W.

40.00 Set a 7/4 support from which a

W Oak. 10 in. dia. beam. N 3 E. 293 links each;

80.00 Set a post for the cor. of lat. 19. 20. 29. 30 from which a
Hickory 12 in. dia. beam. N 24 7/4 links each; & a

10. 10 " " " N 70 E. 39 " "

Sunder thin Timber Oak & Hickory.

East On a Random line between Lat. 20 & 29. T. 8. N. R. 7 W.

40.00 Set a trumpet 7 1/4 support.

80.20 Intersect the N 8 E line at the post cor of lat. 20. 21. 28 & 29.

T. S. S. R. N. of W. 2nd Mer. Ind.?

Land rolling Timber; Oak. Hickory

West Out the line between Feb. 20. & 29. T. S. S. R. T. W.
40.10 Set the trumpet 1/4 S. post. at the ar. dish on the line from
whence Hickory 10 in. dist. bears. S 107.72 into web;
under Oak. 30 " " " 45 E. 83 " "
80.20 To the post cor. of Feb. 19. 20. 29. & 30

West Return Feb. 19. & 30 T. S. S. R. T. W.
40.00 Set the 1/4 S. post. from whence
Hickory 10 in. dist. bears. S 89 E 50 into web; Oak
do. 10 " " " N 44 E 77 " "
80.10 Enter at the West Corner? 150 into South of the post
but for the cor. of Feb. 24 & 25 T. S. S. R. T. W. of set a post
for the cor. of " 19 & 30 from whence
Hickory 10 in. dist. bears. E 253 into web;
Land rolling Timber Oak & Hickory; Thick timber?

North Return Feb. 19. & 20 T. S. S. R. T. W.
40.00 Set a 1/4 S. post from whence
Hickory 10 in. dist. bears. S 69 W. 15 into web; Oak
do. 10 " " " N 49 E 16 " "
80.00 Set a post for the cor. of Feb. 17. 18. 19. & 20 from whence
Oak. 20 in. dist. bears. S 34 E 36 into web; Oak
Hickory 10 " " " N 34 W. 33 " "
Land the same.

East Oak Run line between Feb. 17. & 20. T. S. S. R. T. W.
40.00 Set a trumpet 1/4 S. post
42.00 To a Brook. 10 into web; under S. W.
80.04 Enter at the N. & S. line at the post cor. of Feb. 16. 17. 20 & 21.

West Out the line between Feb. 17 & 20 T. S. S. R. T. W.

T. No. 8. N.R. No. 7 W. 2nd (Mer. Sud.)

4000 Set the temp. 74 supest at the ar. dist. on the true line from
which, W Oak. 12 in. dist. bears. N 21 W. 27 1/2 links dist; &
under a 23 Oak. 18 " " " S 24 E. 38 " "
80.04 To the post cor of lws. 17. 18 19 & 20.

West Return Feb 18 & 19. T. 8. N.R. 7 W.

40.00 Set a 74 supest from which a

Keck 12 in. dist. bears. S 68 W. 24 links dist; & a

40. 12 " " " S 24 E. 43 " "

80.24 Intersect the West Boundary 178 links South of the
Post cor of lws. 13 & 24 ^{7.8. 17. 18} Set a post for the cor of lws. 18 & 19
from which, W Oak. 20 in. dist. bears. S 30 E. 21 1/2 links.

under a 23 Oak. 20 " " " N 40 E. 21 " "

Same thin soil Same Oak & Keck 1/2.

North Return Feb 17 & 18. T. 8. N.R. 7 W.

40.00 Set a 74 supest from which a

W Oak. 12 in. dist. bears. S 57 W. 44 links dist; & a

W Oak. 12 " " " N 55 W. 25 " "

53.50 To a Brook. 12 links dist, same W.

80.00 Set a post for the cor of lws. 7. 8. 17. & 18 from which a
W Oak. 10 in. dist. bears. S 46 E. 31 links dist; & a

W Oak. 10 " " " N 57 W. 33 " "

Same thin soil.

East On a Random line between Feb 8. & 17. T. 8. N.R. 7 W.

40.00 Set a temp. 74 supest.

80.12 Intersect the NRS line at the post cor of lws. 8. 9. 16. & 17.
Same as last mile.

West On the true line between Feb 8 & 17. T. 8. N.R. 7 W.

40.06 Set the temp. 74 supest at the ar. dist. on the true line
from which, W Oak. 18 in. dist. bears. N 56 W. 56 1/2 links

T. N. 8. N. R. N. 7 W. 2nd Mer. Sec.

W. Oak. 12 in. diam. beam. N 16 N. 46 links mesh;
80.10 To the post cor of Sec. 7, 8, 17, 18.

West Return Sec. 7, 18. T. 8. N. R. 7 W.

40.00 Set a 7/8" sap post from which,

Sum. 10 in. diam. beam. N 61 N. 12 links mesh; 4 a,
Hecks 8 " " " S 21 E. 34 " "

80.20 Set a post on the West Boundary 180 links south of
the cor of sec. 12 & 13. T. 8. N. R. 8 W. From which post a
W. Oak. 15 in. diam. beam. N 36 N. 27 links mesh; 4 a,
Hecks 10 " " " N 53 N. 24 " "
Guide the same.

North Return Sec. 7 & 8. T. 8. N. R. 7 W.

5.50 To a Brook 15 links north, beam. S. W.

40.00 Set a 7/8" sap post from which,

W. Oak. 20 in. diam. beam. N 8 N. 43 links mesh; 4 a,
Hecks 10 " " " N 38 E. 35 " "

80.00 Set a post for the cor of sec. 5, 6, 7 & 8. From which,
Hecks 10 in. diam. beam. S 25 N. 7 links mesh; 4 a,
W. Oak. 12 " " " N 18 N. 23 " "
Guide line; Timber same. as last one.

East On a Random line between Sec. 5 & 8. T. 8. N. R. 7 W.

40.00 Set a temp. 7/8" sap post

80.10 Enter at the N 15 line at the post cor of Sec. 4, 5, 8 & 9
Guide the same.

West On the true line between Sec. 5 & 8. T. 8. N. R. 7 W.

40.05 Set the temp. 7/8" sap post at the corner on the true line.

From which a W. Oak. 24 in. diam. beam. S 4 E. 28 links mesh;
make a Hecks 10 " " " S 6 N. 28 " "

80.10 To the post cor of Sec. 5, 6, 7 & 8.

T. N. 8. N. 7. 2nd M. Ind.

West
40.00 Return Sub. 6. 4. T. 8. N. 7. W.
Set a 1/4 section from which a
line 10 in. dia. beam. S 83 E. 36 links north; 1/4,
Co. 7. " " N 81 W. 32 " "
49.75 Enter at the West Bound 397 links South of the post,
cor of sub. 1. 7. 7. T. 8. N. 8. W. and set a post for the
" " " 6 1/4 from which a
line 20 in. dia. beam. N 46 E. 10 links north; 1/4,
Co. 20 " " N 41 E. 5.5 " "
Sand hole found Oak & Hickory
This line was run on 640' variation
The Range line not parallel with the Town line.

North
40.00 Return Sub 5 & 6. T. 8. N. 7. W.
Set a 1/4 section from which a
line 10 in. dia. beam. N 44 E. 60 links north
58.00 To a Brook 12 links north. Course S. E.
82.34 Enter at the N. Bound 44 links West of the post cor. of
31 & 32 T. 9. N. 7. W. and set a post for the cor. of sub 5 & 6
from which a line 24 in. dia. beam. N 42 W. 58 links north
and a line 10 " " " N 32 E. 24 " "
Land the same as last mile. March 4th 1814.

Surveyed by
Arthur Henry L.S.

I certify that the foregoing Transcript of field notes
of Township N. 8 North of Range N. 7 West of the
2nd principal Meridian, in Indiana has been com-
pared with the Original notes in this Office, and found
to be correct.

Surveyor General's Office
Cincinnati June 13th 1841 } *E. E. Cairns*
Sur. Genl.